#### Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application.

# Listing of claims:

- 1-5. (Canceled).
- 6. (Currently amended) A compound of formula I according to claim 1

in which

R1 is methoxy or ethoxy,

R2 is methoxy, ethoxy, 2,2-difluoroethoxy or difluoromethoxy,

R3 is hydrogen,

R31 is hydrogen,

R4 is -O-R41, in which

R41 is hydrogen or acetyl, and

R5 is hydrogen,

in one embodimental detail,

Har is Cyc1, in which

Serial No. 10/590,803

Page 3 of 41

Cyc1 is benzo[1,3]dioxol-5-yl, dihydrobenzo[1,4]dioxin-5-yl, 2,2-difluoro-benzo[1,3]dioxol-5-yl, or 5-chloro-4-methyl-3,4-dihydrobenzo[1,4]oxazin-7-yl, or, in another embodimental detail,

Har is Cyc2, in which

Cyc2 is quinolin-6-yl, benzofurazan-5-yl, benzothiazol-6-yl, 1-methyl-1H-benzotriazol-5-yl or 4-methoxy-1,3-dimethyl-1H-pyrazolo[3,4-b]pyridin-5-yl, benzo[1,2,3] thiadiazol-5-yl or quinoxalin-5-yl,

or, in yet another embodimental detail,

Har is optionally substituted by R6 and/or R7 and/or R8, and is a pyridinyl, pyrimidinyl, pyrazinyl or pyridazinyl radical, in which

R6 is chlorine, methyl, methoxy, ethoxy, methylthio, methoxycarbonyl, carboxyl, hydroxyl, oxo, or -A-N(R61)R62, in which

A is a bond or ethylene,

R61 is methyl,

R62 is methyl,

or R61 and R62 together and with inclusion of the nitrogen atom, to which they are attached, form a heterocyclic ring Het1, in which

either

Het1 is piperidin-1-yl, pyrrolidin-1-yl or morpholin-4-yl,

or

Het1 is pyrazol-1-yl or imidazol-1-yl,

R7 is methyl, methoxy, ethoxy, methylthio or dimethylamino,

Serial No. 10/590,803

Page 4 of 41

R8 is chlorine or methoxy,

or, in still yet another embodimental detail,

Har is isoxazolyl, 1-methylimidazolyl, or pyridyl-thiazolyl,

or a salt, enantiomer, N-oxide, salt of an N-oxide or enantiomer thereof.

- 7. (Currently amended) A compound of formula I according to claim 6[[1]] in which
- R1 is methoxy,
- R2 is methoxy, ethoxy, 2,2-difluoroethoxy or difluoromethoxy,
- R3 is hydrogen,
- R31 is hydrogen,
- R4 is -O-R41, in which
- R41 is hydrogen or acetyl, and
- R5 is hydrogen,

in one embodimental detail,

Har is Cyc1, in which

Cyc1 is benzo[1,3]dioxol-5-yl, dihydrobenzo[1,4]dioxin-5-yl, 2,2-difluoro-benzo[1,3]dioxol-5-yl, or 5-chloro-4-methyl-3,4-dihydrobenzo[1,4]oxazin-7-yl, or, in another embodimental detail,

Har is Cyc2, in which

Cyc2 is quinolin-6-yl, benzofurazan-5-yl, benzothiazol-6-yl, 1-methyl-1H-benzotriazol-5-yl or 4-methoxy-1,3-dimethyl-1H-pyrazolo[3,4-b]pyridin-5-yl, benzo[1,2,3] thiadiazol-5-yl or quinoxalin-5-yl,

or, in yet another embodimental detail,

Har is pyridin-3-yl, pyridin-4-yl, 6-(morpholin-4-yl)-pyridin-3-yl, 6-(piperidin-1-yl)pyridin-3-vl. 6-(pyrazol-1-yl)-pyridin-3-yl. 6-(imidazol-1-yl)-pyridin-3-yl. methoxycarbonyl-pyridin-3-yl, 3-methoxycarbonyl-pyridin-2-yl, 2-methoxy-pyridin-3-yl, 6-methoxy-pyridin-3-yl, 2-methylsulfanyl-pyridin-3-yl, 6-hydroxy-pyridin-3-yl, 6-carboxy-pyridin-3-yl, pyrimidin-5-yl, 2-methoxy-pyrimidin-5-yl, 2-dimethylaminopyrimidin-5-yl, 2-methylsulfanyl-pyrimidin-5-yl, pyrazin-2-yl, 5-methyl-pyrazin-2-yl, 6-[2-(pyrrolidin-1-yl)-ethyl]-pyridin-3-yl, 2,6-dimethoxy-pyridin-3-yl, 2,6-dimethoxypyridin-4-yl, 4,6-dimethoxy-pyridin-3-yl, 5,6-dimethoxy-pyridin-3-yl, 4,6-diethoxypyridin-3-yl, 5-ethoxy-6-methoxy-pyridin-3-yl, 1-methyl-1H-pyridin-2-one-5-yl, 2.6dimethoxy-pyrimidin-4-yl, 2,4-dimethoxy-pyrimidin-5-yl, 4,6-dimethoxy-pyrimidin-5-yl, 4-methyl-2-methylsulfanyl-pyrimidin-5-yl, 5-chloro-2-methylsulfanylpyrimidin-4-yl, 4-chloro-2-dimethylamino-pyrimidin-5-yl, 2-dimethylamino-4methoxy-pyrimidin-5-yl, 1-methyl-1H-pyrimidin-2-one-5-yl, 3,6-dimethoxypyridazin-4-yl, 4-chloro-2,6-dimethoxy-pyridin-3-yl, 3-chloro-2,6-dimethoxypyridin-4-yl, 5-chloro-2,6-bisdimethylamino-pyrimidin-4-yl, or 2,4,6-trimethoxypyrimidin-5-yl,

or, in still yet another embodimental detail,

Har is isoxazol-5-yl, 1-methylimidazol-2-yl, 1-methylimidazol-5-yl, or 2-(pyridin-3-yl)-thiazol-4-yl,

Serial No. 10/590,803

Page 6 of 41

- 8. (Currently amended) A compound of formula I according to claim 6[[1]] in which
- R1 is methoxy,
- R2 is ethoxy, 2,2-difluoroethoxy or difluoromethoxy,
- R3 is hydrogen,
- R31 is hydrogen,
- R4 is -O-R41, in which
- R41 is hydrogen, and
- R5 is hydrogen,

in one embodimental detail,

Har is Cyc1, in which

Cyc1 is benzo[1,3]dioxol-5-yl, dihydrobenzo[1,4]dioxin-5-yl, 2,2-difluoro-benzo[1,3]dioxol-5-yl, or 5-chloro-4-methyl-3,4-dihydrobenzo[1,4]oxazin-7-yl, or, in another embodimental detail,

Har is Cyc2, in which

Cyc2 is quinolin-6-yl, benzofurazan-5-yl, benzothiazol-6-yl, 1-methyl-1H-benzotriazol-5-yl or 4-methoxy-1,3-dimethyl-1H-pyrazolo[3,4-b]pyridin-5-yl, benzo[1,2,3] thiadiazol-5-yl or quinoxalin-5-yl,

or, in yet another embodimental detail,

Har is pyridin-3-yl, pyridin-4-yl, 6-(morpholin-4-yl)-pyridin-3-yl, 6-(piperidin-1-yl)-pyridin-3-yl, 6-(piperidin-1-yl)-pyridin-3-yl, 6-(imidazol-1-yl)-pyridin-3-yl, 6-methoxycarbonyl-pyridin-3-yl, 3-methoxycarbonyl-pyridin-2-yl, 2-methoxy-pyridin-3-yl, 6-hydroxy-pyridin-3-yl,

Serial No. 10/590,803 Page 7 of 41

6-carboxy-pyridin-3-yl, pyrimidin-5-yl, 2-methoxy-pyrimidin-5-yl, 2-dimethylaminopyrimidin-5-yl, 2-methylsulfanyl-pyrimidin-5-yl, pyrazin-2-yl, 5-methyl-pyrazin-2-yl, 6-[2-(pyrrolidin-1-yl)-ethyl]-pyridin-3-yl, 2,6-dimethoxy-pyridin-3-yl, 2,6-dimethoxypyridin-4-yl, 4,6-dimethoxy-pyridin-3-yl, 5,6-dimethoxy-pyridin-3-yl, 4,6-diethoxypyridin-3-yl, 5-ethoxy-6-methoxy-pyridin-3-yl, 1-methyl-1H-pyridin-2-one-5-yl, 2,6dimethoxy-pyrimidin-4-yl, 2,4-dimethoxy-pyrimidin-5-yl, 4,6-dimethoxy-pyrimidin-4-methyl-2-methylsulfanyl-pyrimidin-5-yl, 5-yl, 5-chloro-2-methylsulfanylpyrimidin-4-yl, 4-chloro-2-dimethylamino-pyrimidin-5-yl, 2-dimethylamino-4methoxy-pyrimidin-5-yl, 1-methyl-1H-pyrimidin-2-one-5-yl, 3,6-dimethoxy-4-chloro-2,6-dimethoxy-pyridin-3-yl, 3-chloro-2,6-dimethoxypyridazin-4-yl, pyridin-4-yl, 5-chloro-2,6-bisdimethylamino-pyrimidin-4-yl, or 2,4,6-trimethoxypyrimidin-5-yl,

or, in still yet another embodimental detail,

Har is isoxazol-5-yl, 1-methylimidazol-2-yl, 1-methylimidazol-5-yl, or 2-(pyridin-3-yl)-thiazol-4-yl,

Serial No. 10/590,803 Page 8 of 41

9. (Currently amended) A compound of formula I according to claim 1

in which

R1 is 1-2C-alkoxy, 2,2-difluoroethoxy, or completely or predominantly fluorine-substituted 1-2C-alkoxy,

R2 is 1-2C-alkoxy, 2,2-difluoroethoxy, or completely or predominantly fluorinesubstituted 1-2C-alkoxy,

R3 is hydrogen,

R31 is hydrogen,

R4 is -O-R41, in which

R41 is hydrogen,

R5 is hydrogen,

in one embodimental detail (detail 1),

Har is optionally substituted by R6 and/or R7, and is benzo[1,4]dioxanyl or benzo[1,3]dioxolyl, in which

R6 is fluorine,

R7 is fluorine,

or, in another embodimental detail (detail 2),

Serial No. 10/590,803

Page 9 of 41

Har is quinolinyl, benzofurazanyl or benzothiazolyl,

or, in yet another embodimental detail (detail 3),

either

Har is optionally substituted by R6 and/or R7, and is pyridinyl, in which

R6 is 1-4C-alkoxy, -A-N(R61)R62, in which

A is a bond,

R61 and R62 together and with inclusion of the nitrogen atom, to which they are attached, form a heterocyclic ring Het1, in which

Het1 is morpholinyl, thiomorpholinyl, N-(R611)-piperazinyl or 4-N-(R611)-homopiperazinyl, in which

R611 is 1-2C-alkyl,

R7 is 1-4C-alkoxy,

or

Har is optionally substituted by R6, and is isoxazolyl, imidazolyl or thiazolyl, in which

R6 is 1-4C-alkyl or pyridyl,

Serial No. 10/590,803

Page 10 of 41

10. (Currently amended) A compound of formula I according to claim 1

in which

R1 is 1-2C-alkoxy, 2,2-difluoroethoxy, or completely or predominantly fluorinesubstituted 1-2C-alkoxy,

R2 is 1-2C-alkoxy, 2,2-difluoroethoxy, or completely or predominantly fluorine-substituted 1-2C-alkoxy,

R3 is hydrogen,

R31 is hydrogen,

R4 is -O-R41, in which

R41 is hydrogen,

R5 is hydrogen,

in one embodimental detail,

Har is Cyc1, in which

Cyc1 is dihydrobenzo[1,4]dioxinyl, benzo[1,3]dioxolyl or 2,2-difluoro-benzo[1,3]dioxolyl, or, in another embodimental detail,

Har is Cyc2, in which

either

Serial No. 10/590,803 Page 11 of 41

Cyc2 is quinolinyl, benzofurazanyl or benzothiazolyl,

or

Cyc2 is 1-(1-4C-alkyl)-1H-benzotriazolyl or 1-(1-4C-alkyl)-4-methoxy-3-methyl-1H-pyrazolo[3,4-b]pyridinyl,

or, in yet another embodimental detail,

either

Har is pyridinyl, pyrimidinyl, isoxazolyl, 1-(1-4C-alkyl)-1H-imidazolyl, methyl-pyrazinyl or pyridyl-thiazolyl,

or

Har is substituted by R6 and/or R7 and/or R8, and is pyrimidinyl, in which

R6 is 1-4C-alkoxy,

R7 is 1-4C-alkoxy,

R8 is 1-4C-alkoxy,

or

Har is substituted by R6, and is pyridinyl, in which

R6 is 1-4C-alkoxycarbonyl,

or

Har is substituted by R6, and is pyridinyl, in which

R6 is morpholin-4-yl, piperidin-1-yl, pyrazol-1-yl or imidazol-1-yl,

or

Har is substituted by R6 and/or R7, and is pyridinyl, in which

R6 is 1-4C-alkoxy,

R7 is 1-4C-alkoxy,

or

Har is substituted by R6 and R7 and R8, and is pyridinyl, in which

R6 is 1-4C-alkoxy,

R7 is 1-4C-alkoxy,

R8 is chlorine,

or a salt, enantiomer, N-oxide, salt of an N-oxide or enantiomer thereof.

11. (Currently amended) A compound of formula I according to claim 1

in which

R1 is 1-2C-alkoxy, 2,2-difluoroethoxy, or completely or predominantly fluorine-substituted 1-2C-alkoxy,

R2 is 1-2C-alkoxy, 2,2-difluoroethoxy, or completely or predominantly fluorine-substituted 1-2C-alkoxy,

R3 is hydrogen,

R31 is hydrogen,

R4 is -O-R41, in which

R41 is hydrogen or 1-4C-alkylcarbonyl,

R5 is hydrogen,

Har is optionally substituted by R6 and/or R7 and/or R8, and is a pyridinyl, pyrimidinyl, pyrazinyl or pyridazinyl radical, in which

R6 is halogen, 1-4C-alkyl, 1-4C-alkoxy, 1-4C-alkylthio, 1-4C-alkoxycarbonyl, carboxyl, hydroxyl, oxo, or -A-N(R61)R62, in which

A is a bond or 1-4C-alkylene,

R61 is 1-4C-alkyl,

R62 is 1-4C-alkyl,

or R61 and R62 together and with inclusion of the nitrogen atom, to which they are attached, form a heterocyclic ring Het1, in which

either

Het1 is piperidin-1-yl, pyrrolidin-1-yl, morpholin-4-yl, thiomorpholin-4-yl, piperazin-1-yl or 4N-methyl-piperazin-1-yl,

or

Het1 is pyrrol-1-yl, pyrazol-1-yl, triazol-1-yl or imidazol-1-yl,

R7 is 1-4C-alkyl, 1-4C-alkoxy, 1-4C-alkylthio, hydroxyl, oxo, or di-1-4C-alkylamino,

R8 is halogen, 1-4C-alkyl or 1-4C-alkoxy,

or a salt, enantiomer, N-oxide, salt of an N-oxide or enantiomer thereof.

12. (Currently amended) A compound of formula I according to claim 11[[1]] in which

R1 is methoxy,

Serial No. 10/590,803

Page 14 of 41

R2 is methoxy, ethoxy, difluoromethoxy or 2,2-difluoroethoxy,

R3 is hydrogen,

R31 is hydrogen,

R4 is -O-R41, in which

R41 is hydrogen,

R5 is hydrogen,

Har is substituted by R6, and is pyridinyl, in which

R6 is methoxy, ethoxy, methylthio, methoxycarbonyl, hydroxyl, carboxyl, or -A-N(R61)R62, in which

A is a bond, or ethylene,

R61 is methyl,

R62 is methyl,

or R61 and R62 together and with inclusion of the nitrogen atom, to which they are attached, form a heterocyclic ring Het1, in which

either

Het1 is piperidin-1-yl, pyrrolidin-1-yl or morpholin-4-yl,

or

Het1 is pyrazol-1-yl or imidazol-1-yl,

or a salt, enantiomer, N-oxide, salt of an N-oxide or enantiomer thereof.

13. (Currently amended) A compound of formula I according to claim 11[[1]] in which

R1 is methoxy.

Serial No. 10/590,803

Page 15 of 41

- R2 is methoxy, ethoxy, difluoromethoxy or 2,2-difluoroethoxy,
- R3 is hydrogen,
- R31 is hydrogen,
- R4 is -O-R41, in which
- R41 is hydrogen,
- R5 is hydrogen,
- Har is 6-(morpholin-4-yl)-pyridin-3-yl, 6-(piperidin-1-yl)-pyridin-3-yl, 6-(pyrazol-1-yl)-pyridin-3-yl, 6-(imidazol-1-yl)-pyridin-3-yl, 6-methoxycarbonyl-pyridin-3-yl, 3-methoxycarbonyl-pyridin-2-yl,
- 2-methoxy-pyridin-3-yl, 6-methoxy-pyridin-3-yl, 2-methylsulfanyl-pyridin-3-yl, 6-hydroxy-pyridin-3-yl, 6-carboxy-pyridin-3-yl, 2-methoxy-pyrimidin-5-yl, 2-dimethylamino-pyrimidin-5-yl, 2-methylsulfanyl-pyrimidin-5-yl, 5-methyl-pyrazin-2-yl, or 6-[2-(pyrrolidin-1-yl)-ethyl]-pyridin-3yl,

- 14. (Currently amended) A compound of formula I according to claim 11[[1]] in which
- R1 is methoxy,
- R2 is methoxy, ethoxy, difluoromethoxy or 2,2-difluoroethoxy,
- R3 is hydrogen,
- R31 is hydrogen,
- R4 is -O-R41, in which
- R41 is hydrogen,

Serial No. 10/590,803

Page 16 of 41

R5 is hydrogen,

either

Har is substituted by R6 and R7, and is a pyridinyl, pyrimidinyl, pyridazinyl or pyrazinyl radical, in which

R6 is methoxy or ethoxy, and

is methoxy or ethoxy, R7

or

R6 is oxo, and

R7 is methyl,

or

R6 is methylthio, and

R7 is methyl,

or

R6 is chlorine, and

R7 is methylthio,

or

is dimethylamino, and R6

R7 is methoxy or ethoxy,

or

is dimethylamino, and R6

R7 is dimethylamino,

or

Serial No. 10/590,803

Page 17 of 41

Har is substituted by R6 and R8, and is a pyridinyl, pyrimidinyl, pyridazinyl or pyrazinyl radical, in which

R6 is dimethylamino, and

R8 is chlorine,

or a salt, enantiomer, N-oxide, salt of an N-oxide or enantiomer thereof.

15. (Currently amended) A compound of formula I according to claim 11[[1]] in which

R1 is methoxy,

R2 is methoxy, ethoxy, difluoromethoxy or 2,2-difluoroethoxy,

R3 is hydrogen,

R31 is hydrogen,

R4 is -O-R41, in which

R41 is hydrogen,

R5 is hydrogen,

Har is substituted by R6 and R7, and is pyridinyl, in which

either

R6 is methoxy or ethoxy, and

R7 is methoxy or ethoxy,

or

R6 is oxo, and

R7 is methyl,

Serial No. 10/590,803

Page 18 of 41

16. (Currently amended) A compound of formula I according to claim 11[[1]] in which

R1 is methoxy,

R2 is methoxy, ethoxy, difluoromethoxy or 2,2-difluoroethoxy,

R3 is hydrogen,

R31 is hydrogen,

R4 is -O-R41, in which

R41 is hydrogen,

R5 is hydrogen,

either

Har is substituted by R6 and R7, and is pyrimidinyl, in which

R6 is methoxy or ethoxy, and

R7 is methoxy or ethoxy,

or

R6 is oxo, and

R7 is methyl,

or

R6 is methylthio, and

R7 is methyl,

or

R6 is chlorine, and

R7 is methylthio,

or

Serial No. 10/590,803

Page 19 of 41

R6 is dimethylamino, and

R7 is methoxy or ethoxy,

or

Har is substituted by R6 and R8, and is pyrimidinyl, in which

R6 is dimethylamino, and

R8 is chlorine,

or a salt, enantiomer, N-oxide, salt of an N-oxide or enantiomer thereof.

- 17. (Currently amended) A compound of formula I according to claim 11[[1]] in which
- R1 is methoxy,
- R2 is methoxy, ethoxy, difluoromethoxy or 2,2-difluoroethoxy,
- R3 is hydrogen,
- R31 is hydrogen,
- R4 is -O-R41, in which
- R41 is hydrogen,
- R5 is hydrogen,
- Har is substituted by R6 and R7, and is pyridazinyl, in which
- R6 is methoxy or ethoxy, and
- R7 is methoxy or ethoxy,

Serial No. 10/590,803

Page 20 of 41

- 18. (Currently Amended) A compound of formula I according to claim 11[[1]] in which
- R1 is methoxy,
- R2 is methoxy, ethoxy, difluoromethoxy or 2,2-difluoroethoxy,
- R3 is hydrogen,
- R31 is hydrogen,
- R4 is -O-R41, in which
- R41 is hydrogen,
- R5 is hydrogen,
- Har is 2,6-dimethoxy-pyridin-3-yl, 2,6-dimethoxy-pyridin-4-yl, 4,6-dimethoxy-pyridin-3-yl, 5,6-dimethoxy-pyridin-3-yl, 4,6-diethoxy-pyridin-3-yl, 5-ethoxy-6-methoxy-pyridin-3-yl, 1-methyl-1H-pyridin-2-one-5-yl, 2,6-dimethoxy-pyrimidin-4-yl, 2,4-dimethoxy-pyrimidin-5-yl, 4,6-dimethoxy-pyrimidin-5-yl, 4-methyl-2-methylsulfanyl-pyrimidin-5-yl, 5-chloro-2-methylsulfanyl-pyrimidin-4-yl, 4-chloro-2-dimethylamino-pyrimidin-5-yl, 2-dimethylamino-4-methoxy-pyrimidin-5-yl, 1-methyl-1H-pyrimidin-2-one-5-yl, or 3,6-dimethoxy-pyridazin-4-yl,

- 19. (Currently amended) A compound of formula I according to claim 11[[1]] in which
- R1 is methoxy,
- R2 is ethoxy, difluoromethoxy or 2,2-difluoroethoxy.
- R3 is hydrogen,
- R31 is hydrogen,

Serial No. 10/590,803

Page 21 of 41

R4 is -O-R41, in which

R41 is hydrogen,

R5 is hydrogen,

Har is any one selected from the group consisting of

6-(imidazol-1-yl)-pyridin-3-yl, pyrimidin-5-yl, 2-methoxy-pyrimidin-5-yl, 2-dimethylamino-pyrimidin-5-yl, 2-methylsulfanyl-pyrimidin-5-yl, 2,6-dimethoxy-pyridin-3-yl, 2,6-dimethoxy-pyridin-4-yl, 4,6-dimethoxy-pyridin-3-yl, 5,6-dimethoxy-pyridin-3-yl, 4,6-diethoxy-pyridin-3-yl, 5-ethoxy-6-methoxy-pyridin-3-yl, 1-methyl-1H-pyridin-2-one-5-yl, 2,6-dimethoxy-pyrimidin-4-yl, 2,4-dimethoxy-pyrimidin-5-yl, 4,6-dimethoxy-pyrimidin-5-yl, 2-dimethylamino-4-methoxy-pyrimidin-5-yl, 1-methyl-1H-pyrimidin-2-one-5-yl, and 3,6-dimethoxy-pyridazin-4-yl,

or a salt, enantiomer, N-oxide, salt of an N-oxide or enantiomer thereof.

- 20. (Currently amended) A compound of formula I according to claim <a href="11">11[[1]]</a> comprising one or more of the following:
- R1 is methoxy,
- R2 is ethoxy, difluoromethoxy or 2,2-difluoroethoxy, and

R3 and R31 are both hydrogen,

R4 is -O-R41, in which

R41 is hydrogen, and

R5 is hydrogen,

Har is substituted by R6 and R7, and is pyridinyl, and

Serial No. 10/590,803 Page 22 of 41

Har is optionally substituted by R6 and/or R7, and is pyrimidinyl or pyridazinyl, or a salt, enantiomer, N-oxide, salt of an N-oxide or enantiomer thereof.

- 21. (Currently amended) A compound of formula I according to claim <a href="11">11[[1]]</a> comprising one or more of the following:
- R1 is methoxy,
- R2 is ethoxy, difluoromethoxy or 2,2-difluoroethoxy, and

R3 and R31 are both hydrogen,

- R4 is -O-R41, in which
- R41 is hydrogen, and
- R5 is hydrogen, and
- Har is either N-methyl-pyrid-2-onyl or N-methyl-pyrimid-2-onyl,

or imidazol-1-yl-pyridinyl or pyrazol-1-yl-pyridinyl,

or methylthio-pyrimidinyl, methoxy-pyrimidinyl, dimethylamino-pyrimidinyl or pyrimidinyl,

or

Har is substituted by R6 and R7, and is pyridinyl, in which

R6 is methoxy or ethoxy, and

R7 is methoxy or ethoxy,

or

Har is substituted by R6 and R7, and is pyrimidinyl or pyridazinyl, in which

R6 is methoxy, ethoxy or dimethylamino, and

Serial No. 10/590,803

Page 23 of 41

R7 is methoxy or ethoxy,

or a salt, enantiomer, N-oxide, salt of an N-oxide or enantiomer thereof.

#### 22. (Currently amended) A compound of formula I according to claim 1

which is selected from the group consisting of

- (2RS,4aRS,10bRS)-6-(2,6-Dimethoxy-pyridin-3-yl)-9-ethoxy-8-methoxy-1,2,3,4,4a,10bhexahydro-phenanthridin-2-ol,
- (2RS,4aRS,10bRS)-9-Ethoxy-8-methoxy-6-(3-methyl-3H-imidazol-4-yl)-1,2,3,4,4a,10bhexahydro-phenanthridin-2-ol,
- (2RS,4aRS,10bRS)-9-Ethoxy-8-methoxy-6-(2-pyridin-3-yl-thiazol-4-yl)-1,2,3,4,4a,10bhexahydro-phenanthridin-2-ol,
- (2RS,4aRS,10bRS)-9-Ethoxy-6-isoxazol-5-yl-8-methoxy-1,2,3,4,4a,10b-hexahydrophenanthridin-2-ol,
- (2RS,4aRS,10bRS)-8,9-Dimethoxy-6-pyridin-4-yl-1,2,3,4,4a,10b-hexahydrophenanthridin-2-ol,
- (2RS,4aRS,10bRS)-8,9-Dimethoxy-6-pyridin-3-yl-1,2,3,4,4a,10b-hexahydrophenanthridin-2-ol,

- (2RS,4aRS,10bRS)-8,9-Dimethoxy-6-(6-morpholin-4-yl-pyridin-3-yl)-1,2,3,4,4a,10b-hexahydro-phenanthridin-2-ol,
- (2RS,4aRS,10bRS)-6-Benzo[1,2,5]oxadiazol-5-yl-9-(1,1-difluoro-methoxy)-8-methoxy-1,2,3,4,4a,10b-hexahydro-phenanthridin-2-ol,
- (2RS,4aRS,10bRS)-6-Benzo[1,2,5]oxadiazol-5-yl-9-(2,2-difluoro-ethoxy)-8-methoxy-1,2,3,4,4a,10b-hexahydro-phenanthridin-2-ol,
- (2RS,4aRS,10bRS)-6-Benzo[1,2,5]oxadiazol-5-yl-8-(1,1-difluoro-methoxy)-9-methoxy-1,2,3,4,4a,10b-hexahydro-phenanthridin-2-ol,
- (2RS,4aRS,10bRS)-6-(2,3-Dihydro-benzo[1,4]dioxin-6-yl)-9-ethoxy-8-methoxy-1,2,3,4,4a,10b-hexahydro-phenanthridin-2-ol,
- (2RS,4aRS,10bRS)-6-Benzo[1,3]dioxol-5-yl-9-ethoxy-8-methoxy-1,2,3,4,4a,10b-hexahydro-phenanthridin-2-ol,
- (2RS,4aRS,10bRS)-6-Benzothiazol-6-yl-9-ethoxy-8-methoxy-1,2,3,4,4a,10b-hexahydro-phenanthridin-2-ol,
- (2RS,4aRS,10bRS)-8,9-Dimethoxy-6-quinolin-6-yl-1,2,3,4,4a,10b-hexahydro-phenanthridin-2-ol,
- (2RS,4aRS,10bRS)-6-(2,2-Difluoro-benzo[1,3]dioxol-5-yl)-8,9-dimethoxy-1,2,3,4,4a,10b-hexahydro-phenanthridin-2-ol,
- (2RS,4aRS,10bRS)-6-Benzo[1,2,5]oxadiazol-5-yl-9-ethoxy-8-methoxy-1,2,3,4,4a,10b-hexahydro-phenanthridin-2-ol,
- (2RS,4aRS,10bRS)-9-Ethoxy-8-methoxy-6-(1-methyl-1H-imidazol-2-yl)-1,2,3,4,4a,10b-hexahydro-phenanthridin-2-ol,

- 5-((2RS,4aRS,10bRS)-9-Ethoxy-2-hydroxy-8-methoxy-1,2,3,4,4a,10b-hexahydro-phenanthridin-6-yl)-pyridine-2-carboxylic acid methyl ester,
- (2RS,4aRS,10bRS)-9-(2,2-Difluoro-ethoxy)-6-(2,6-dimethoxy-pyridin-3-yl)-8-methoxy-1,2,3,4,4a,10b-hexahydro-phenanthridin-2-ol,
- (2RS,4aRS,10bRS)-9-(2,2-Difluoro-ethoxy)-8-methoxy-6-(2-methoxy-pyridin-3-yl)-1,2,3,4,4a,10b-hexahydro-phenanthridin-2-ol,
- (2RS,4aRS,10bRS)-9-(2,2-Difluoro-ethoxy)-8-methoxy-6-(6-morpholin-4-yl-pyridin-3-yl)-1,2,3,4,4a,10b-hexahydro-phenanthridin-2-ol,
- (2RS,4aRS,10bRS)-9-(2,2-Difluoro-ethoxy)-8-methoxy-6-pyridin-3-yl-1,2,3,4,4a,10b-hexahydro-phenanthridin-2-ol,
- (2RS,4aRS,10bRS)-9-(2,2-Difluoro-ethoxy)-6-(2,6-dimethoxy-pyrimidin-4-yl)-8-methoxy-1,2,3,4,4a,10b-hexahydro-phenanthridin-2-ol,
- (2RS,4aRS,10bRS)-8-(2,2-Difluoro-ethoxy)-6-(2,6-dimethoxy-pyridin-3-yl)-9-methoxy-1,2,3,4,4a,10b-hexahydro-phenanthridin-2-ol,
- (2RS,4aRS,10bRS)-6-(2,6-Dimethoxy-pyridin-3-yl)-8,9-dimethoxy-1,2,3,4,4a,10b-hexahydro-phenanthridin-2-ol,
- (2RS,4aRS,10bRS)-6-(2,6-Dimethoxy-pyridin-4-yl)-9-ethoxy-8-methoxy-1,2,3,4,4a,10b-hexahydro-phenanthridin-2-ol,
- (2RS,4aRS,10bRS)-6-(3-Chloro-2,6-dimethoxy-pyridin-4-yl)-9-(2,2-difluoro-ethoxy)-8-methoxy-1,2,3,4,4a,10b-hexahydro-phenanthridin-2-ol,
- (2R,4aR,10bR)-9-Ethoxy-8-methoxy-6-pyrimidin-5-yl-1,2,3,4,4a,10b-hexahydro-phenanthridin-2-ol,

- (2R,4aR,10bR)-9-Ethoxy-8-methoxy-6-(6-pyrazol-1-yl-pyridin-3-yl)-1,2,3,4,4a,10b-hexahydro-phenanthridin-2-ol,
- (2R,4aR,10bR)-9-Ethoxy-8-methoxy-6-(3,4,5,6-tetrahydro-2H-[1,2']bipyridinyl-5'-yl)-1,2,3,4,4a,10b-hexahydro-phenanthridin-2-ol,
- 6-((2R,4aR,10bR)-9-Ethoxy-2-hydroxy-8-methoxy-1,2,3,4,4a,10b-hexahydro-phenanthridin-6-yl)-nicotinic acid methyl ester,
- (2R,4aR,10bR)-9-Ethoxy-8-methoxy-6-(2-methoxy-pyrimidin-5-yl)-1,2,3,4,4a,10b-hexahydro-phenanthridin-2-ol,
- (2R,4aR,10bR)-9-Ethoxy-8-methoxy-6-(2,4,6-trimethoxy-pyrimidin-5-yl)-1,2,3,4,4a,10b-hexahydro-phenanthridin-2-ol,
- (2R,4aR,10bR)-6-(2,4-Dimethoxy-pyrimidin-5-yl)-9-ethoxy-8-methoxy-1,2,3,4,4a,10b-hexahydro-phenanthridin-2-ol,
- (2R,4aR,10bR)-9-Ethoxy-8-methoxy-6-(5-methyl-pyrazin-2-yl)-1,2,3,4,4a,10b-hexahydro-phenanthridin-2-ol,
- (2R,4aR,10bR)-6-(2,6-Dimethoxy-pyrimidin-4-yl)-9-ethoxy-8-methoxy-1,2,3,4,4a,10b-hexahydro-phenanthridin-2-ol,
- (2R,4aR,10bR)-9-Ethoxy-6-(6-imidazol-1-yl-pyridin-3-yl)-8-methoxy-1,2,3,4,4a,10b-hexahydro-phenanthridin-2-ol,
- (2R,4aR,10bR)-9-Ethoxy-8-methoxy-6-pyrazin-2-yl-1,2,3,4,4a,10b-hexahydro-phenanthridin-2-ol,
- (2R,4aR,10bR)-9-Ethoxy-8-methoxy-6-(1-methyl-1H-benzotriazol-5-yl)-1,2,3,4,4a,10b-hexahydro-phenanthridin-2-ol,

- (2R,4aR,10bR)-9-Ethoxy-8-methoxy-6-(4-methoxy-1,3-dimethyl-1H-pyrazolo[3,4-b]pyridin-5-yl)-1,2,3,4,4a,10b-hexahydro-phenanthridin-2-ol,
- (2S,4aS,10bS)-6-(2,6-Dimethoxy-pyridin-3-yl)-9-ethoxy-8-methoxy-1,2,3,4,4a,10b-hexahydro-phenanthridin-2-ol,
- (2R,4aR,10bR)-6-(2,6-Dimethoxy-pyridin-3-yl)-9-ethoxy-8-methoxy-1,2,3,4,4a,10b-hexahydro-phenanthridin-2-ol,
- (3SR,4aRS,10bRS)-8,9-Dimethoxy-6-pyridin-3-yl-1,2,3,4,4a,10b-hexahydro-phenanthridin-3-ol,
- (2R,4aR,10bR)-6-(4-Chloro-2,6-dimethoxy-pyridin-3-yl)-9-ethoxy-8-methoxy-1,2,3,4,4a,10b-hexahydro-phenanthridin-2-ol,
- (2R,4aR,10bR)-9-Ethoxy-8-methoxy-6-(2-methylsulfanyl-pyridin-3-yl)-1,2,3,4,4a,10b-hexahydro-phenanthridin-2-ol,
- (2R,4aR,10bR)-9-Ethoxy-8-methoxy-6-(4-methyl-2-methylsulfanyl-pyrimidin-5-yl)-1,2,3,4,4a,10b-hexahydro-phenanthridin-2-ol,
- (2R,4aR,10bR)-6-(5-Chloro-2-methylsulfanyl-pyrimidin-4-yl)-9-ethoxy-8-methoxy-1,2,3,4,4a,10b-hexahydro-phenanthridin-2-ol,
- (2R,4aR,10bR)-9-Ethoxy-8-methoxy-6-(2-methoxy-pyridin-3-yl)-1,2,3,4,4a,10b-hexahydro-phenanthridin-2-ol,
- 5-((2R,4aR,10bR)-9-Ethoxy-2-hydroxy-8-methoxy-1,2,3,4,4a,10b-hexahydro-phenanthridin-6-yl)-1-methyl-1H-pyridin-2-one,
- (2R,4aR,10bR)-9-Ethoxy-8-methoxy-6-(6-methoxy-pyridin-3-yl)-1,2,3,4,4a,10b-hexahydro-phenanthridin-2-ol,

- (2R,4aR,10bR)-6-(4-Chloro-2-dimethylamino-pyrimidin-5-yl)-9-ethoxy-8-methoxy-1,2,3,4,4a,10b-hexahydro-phenanthridin-2-ol,
- (2R,4aR,10bR)-6-(2-Dimethylamino-4-methoxy-pyrimidin-5-yl)-9-ethoxy-8-methoxy-1,2,3,4,4a,10b-hexahydro-phenanthridin-2-ol,
- (2R,4aR,10bR)-6-(4,6-Diethoxy-pyridin-3-yl)-9-ethoxy-8-methoxy-1,2,3,4,4a,10b-hexahydro-phenanthridin-2-ol,
- (2R,4aR,10bR)-6-(4,6-Dimethoxy-pyridin-3-yl)-9-ethoxy-8-methoxy-1,2,3,4,4a,10b-hexahydro-phenanthridin-2-ol,
- (2R,4aR,10bR)-6-(2-Dimethylamino-pyrimidin-5-yl)-9-ethoxy-8-methoxy-1,2,3,4,4a,10b-hexahydro-phenanthridin-2-ol,
- (2R,4aR,10bR)-6-(5,6-Dimethoxy-pyridin-3-yl)-9-ethoxy-8-methoxy-1,2,3,4,4a,10b-hexahydro-phenanthridin-2-ol,
- (2R,4aR,10bR)-9-Ethoxy-6-(5-ethoxy-6-methoxy-pyridin-3-yl)-8-methoxy-1,2,3,4,4a,10b-hexahydro-phenanthridin-2-ol,
- (2R,4aR,10bR)-9-Ethoxy-8-methoxy-6-(2-methylsulfanyl-pyrimidin-5-yl)-1,2,3,4,4a,10b-hexahydro-phenanthridin-2-ol,
- 5-((2R,4aR,10bR)-9-Ethoxy-2-hydroxy-8-methoxy-1,2,3,4,4a,10b-hexahydro-phenanthridin-6-yl)-1-methyl-1H-pyrimidin-2-one.
- (2R,4aR,10bR)-9-Ethoxy-6-(6-hydroxy-pyridin-3-yl)-8-methoxy-1,2,3,4,4a,10b-hexahydro-phenanthridin-2-ol,
- (2R,4aR,10bR)-6-(3,6-Dimethoxy-pyridazin-4-yl)-9-ethoxy-8-methoxy-1,2,3,4,4a,10b-hexahydro-phenanthridin-2-ol,

Serial No. 10/590,803 Page 29 of 41

- (2R,4aR,10bR)-6-(4,6-Dimethoxy-pyrimidin-5-yl)-9-ethoxy-8-methoxy-1,2,3,4,4a,10b-hexahydro-phenanthridin-2-ol,
- (2RS,4aRS,10bRS)-9-Ethoxy-8-methoxy-6-pyridin-4-yl-1,2,3,4,4a,10b-hexahydro-phenanthridin-2-ol,
- (2RS,4aRS,10bRS)-9-Ethoxy-8-methoxy-6-pyridin-3-yl-1,2,3,4,4a,10b-hexahydro-phenanthridin-2-ol,
- (2RS,4aRS,10bRS)-9-Ethoxy-8-methoxy-6-(6-morpholin-4-yl-pyridin-3-yl)-1,2,3,4,4a,10b-hexahydro-phenanthridin-2-ol,
- (2RS,4aRS,10bRS)-9-(1,1-Difluoro-methoxy)-6-(2,6-dimethoxy-pyridin-3-yl)-8-methoxy-1,2,3,4,4a,10b-hexahydro-phenanthridin-2-ol,
- (2RS,4aRS,10bRS)-8-(1,1-Difluoro-methoxy)-6-(2,6-dimethoxy-pyridin-3-yl)-9-methoxy-1,2,3,4,4a,10b-hexahydro-phenanthridin-2-ol,
- (2RS,4aRS,10bRS)-6-Benzo[1,2,5]oxadiazol-5-yl-8-(1,1-difluoro-methoxy)-9-methoxy-1,2,3,4,4a,10b-hexahydro-phenanthridin-2-ol,
- (2RS,4aRS,10bRS)-6-(2,6-Dimethoxy-pyrimidin-4-yl)-9-ethoxy-8-methoxy-1,2,3,4,4a,10b-hexahydro-phenanthridin-2-ol,
- (2RS,4aRS,10bRS)-6-(5-Chloro-2,6-bis-dimethylamino-pyrimidin-4-yl)-9-ethoxy-8-methoxy-1,2,3,4,4a,10b-hexahydro-phenanthridin-2-ol,
- (2RS,4aRS,10bRS)-9-Ethoxy-8-methoxy-6-pyrimidin-5-yl-1,2,3,4,4a,10b-hexahydro-phenanthridin-2-ol,
- (2RS,4aRS,10bRS)-9-Ethoxy-8-methoxy-6-pyrazin-2-yl-1,2,3,4,4a,10b-hexahydro-phenanthridin-2-ol,

Serial No. 10/590,803 Page 30 of 41

- (2RS,4aRS,10bRS)-6-(5-Chloro-4-methyl-3,4-dihydro-2H-benzo[1,4]oxazin-7-yl)-9-ethoxy-8-methoxy-1,2,3,4,4a,10b-hexahydro-phenanthridin-2-ol,
- (2RS,4aRS,10bRS)-9-Ethoxy-8-methoxy-6-(6-pyrazol-1-yl-pyridin-3-yl)-1,2,3,4,4a,10b-hexahydro-phenanthridin-2-ol,
- (2RS,4aRS,10bRS)-9-Ethoxy-6-(6-imidazol-1-yl-pyridin-3-yl)-8-methoxy-1,2,3,4,4a,10b-hexahydro-phenanthridin-2-ol,
- (2RS,4aRS,10bRS)-6-Benzo[1,2,3]thiadiazol-5-yl-9-ethoxy-8-methoxy-1,2,3,4,4a,10b-hexahydro-phenanthridin-2-ol,
- (2RS,4aRS,10bRS)-9-Ethoxy-8-methoxy-6-[6-(2-pyrrolidin-1-yl-ethyl)-pyridin-3-yl]-1,2,3,4,4a,10b-hexahydro-phenanthridin-2-ol,
- (2RS,4aRS,10bRS)-9-Ethoxy-8-methoxy-6-(2-methoxy-pyridin-3-yl)-1,2,3,4,4a,10b-hexahydro-phenanthridin-2-ol,
- (2RS,4aRS,10bRS)-9-Ethoxy-8-methoxy-6-(1-methyl-1H-benzotriazol-5-yl)-1,2,3,4,4a,10b-hexahydro-phenanthridin-2-ol,
- (2RS,4aRS,10bRS)-9-Ethoxy-8-methoxy-6-quinoxalin-5-yl-1,2,3,4,4a,10b-hexahydro-phenanthridin-2-ol,
- (2RS,4aRS,10bRS)-6-(3-Chloro-2,6-dimethoxy-pyridin-4-yl)-9-ethoxy-8-methoxy-1,2,3,4,4a,10b-hexahydro-phenanthridin-2-ol,
- (2RS,4aRS,10bRS)-8-(1,1-Difluoro-methoxy)-9-methoxy-6-pyridin-3-yl-1,2,3,4,4a,10b-hexahydro-phenanthridin-2-ol,
- (ŻRS,4aRS,10bRS)-8-(1,1-Difluoro-methoxy)-9-methoxy-6-(6-morpholin-4-yl-pyridin-3-yl)-1,2,3,4,4a,10b-hexahydro-phenanthridin-2-ol,

Serial No. 10/590,803

Page 31 of 41

- 5-((2R,4aR,10bR)-9-Ethoxy-2-hydroxy-8-methoxy-1,2,3,4,4a,10b-hexahydro-phenanthridin-6-yl)-pyridine-2-carboxylic acid,
- (2S,4aS,10bS)-6-(2,6-Dimethoxy-pyridin-3-yl)-8,9-dimethoxy-1,2,3,4,4a,10b-hexahydro-phenanthridin-2-ol,
- (2R,4aR,10bR)-6-(2,6-Dimethoxy-pyridin-3-yl)-8,9-dimethoxy-1,2,3,4,4a,10b-hexahydro-phenanthridin-2-ol,
- (3SR,4aRS,10bRS)-6-(2,6-Dimethoxy-pyridin-3-yl)-9-ethoxy-8-methoxy-1,2,3,4,4a,10b-hexahydro-phenanthridin-3-ol,

and the salt, enantiomer, N-oxide, salt of the N-oxide and enantiomer thereof.

23. (Currently amended) A compound of formula I according to claim 6[[1]], which has with respect to the positions 4a and 10b the configuration shown in formula I\*:

or a salt, N-oxide or salt of an N-oxide thereof.

24. (Currently amended) A compound of formula I according to claim 6[[1]], which has with respect to the positions 2, 4a and 10b the configuration shown in formula

Serial No. 10/590,803 Page 32 of 41

la\*\*\*\*\*, or, which has with respect to the positions 3, 4a and 10b the configuration shown in formula lb\*\*\*\*\*:

or a salt, N-oxide or salt of an N-oxide thereof.

25. - 31. (Canceled)

32. (New) A compound of formula I according to claim 9, which has with respect to the positions 4a and 10b the configuration shown in formula I\*:

or a salt, N-oxide or salt of an N-oxide thereof.

33. (New) A compound of formula I according to claim 9, which has with respect to

Serial No. 10/590,803

Page 33 of 41

the positions 2, 4a and 10b the configuration shown in formula la\*\*\*\*\*:

or a salt, N-oxide or salt of an N-oxide thereof.

34. (New) A compound of formula I according to claim 10, which has with respect to the positions 4a and 10b the configuration shown in formula I\*:

or a salt, N-oxide or salt of an N-oxide thereof.

35. (New) A compound of formula I according to claim 10, which has with respect to the positions 2, 4a and 10b the configuration shown in formula la\*\*\*\*\*:

Serial No. 10/590,803 Page 34 of 41

or a salt, N-oxide or salt of an N-oxide thereof.

36. (New)A compound of formula I according to claim 11, which has with respect to the positions 4a and 10b the configuration shown in formula I\*:

or a salt, N-oxide or salt of an N-oxide thereof.

37. (New) A compound of formula I according to claim 11, which has with respect to the positions 2, 4a and 10b the configuration shown in formula la\*\*\*\*:

Serial No. 10/590,803

Page 35 of 41

or a salt, N-oxide or salt of an N-oxide thereof.

- 38. (New) A pharmaceutical composition comprising one or more compounds of formula I as claimed in claim 6, or a pharmaceutically acceptable salt, enantiomer, Novide, salt of an Novide or enantiomer thereof, together with a pharmaceutically acceptable excipient and/or vehicle.
- 39 (New) A pharmaceutical composition comprising one or more compounds of formula I as claimed in claim 9, or a pharmaceutically acceptable salt, enantiomer, Novide, salt of an Novide or enantiomer thereof, together with a pharmaceutically acceptable excipient and/or vehicle.
- 40. (New) A pharmaceutical composition comprising one or more compounds of formula I as claimed in claim 10, or a pharmaceutically acceptable salt, enantiomer, N-oxide, salt of an N-oxide or enantiomer thereof, together with a pharmaceutically acceptable excipient and/or vehicle.

Serial No. 10/590,803

Page 36 of 41

- 41. (New) A pharmaceutical composition comprising one or more compounds of formula I as claimed in claim 11, or a pharmaceutically acceptable salt, enantiomer, N-oxide, salt of an N-oxide or enantiomer thereof, together with a pharmaceutically acceptable excipient and/or vehicle.
- 42. (New) A pharmaceutical composition comprising one or more compounds of formula I as claimed in claim 22, or a pharmaceutically acceptable salt, enantiomer, N-oxide, salt of an N-oxide or enantiomer thereof, together with a pharmaceutically acceptable excipient and/or vehicle.